

TRUCKS AND BUSES



SAFETY ASSURED.

Eicher Starline School Buses

18 to 51 Seater Buses



EUTECH 6

EUTECH 6

Eicher is creating a new benchmark in the Indian commercial vehicle industry, through a revolutionary BSVI solution that combines global technology with innovative support services. This solution not only makes your vehicle BSVI compliant but also ensures higher productivity of the bus and profitability of your business.



Euro VI Expertise for 6 years

VECV has been manufacturing and supplying base engines to the Volvo Group since 2013. Over 1,00,000 Euro VI base engines supplied, operating in 41 countries. First to roll out BS VI CV range in India, incorporating expertise of Euro VI technology.



Efficient EATS and engine technology

Best fluid economy: Lower fuel consumption + DEF consumption combined. Reliable EATS + engine technology tested for over 56,00,000 km. Duty cycle based SCR for high reliability & low maintenance.




Enhanced UPTIME

Eicher Uptime Centre for 24x7 support by specialists. GPS enabled service vans just a phone call away. Remote diagnostics for quick repair of BS VI vehicles.

Next-Gen Engines

The Starline range is powered by Eicher's next-generation E366 and E474 engines, which offer the dual benefits of higher power and high fuel efficiency. The flat torque curve ensures smoother drives with less gear shifts. Leveraging Eicher's Euro VI experience, these new engines are designed to be lightweight, silent, powerful and efficient.



FUEL EFFICIENT E474 ENGINE: 4 CYLINDER, 4 VALVE, 3 LITRES CRS ENGINE



The All New **STARLINE** is designed to deliver best-in-class operating economics with higher safety and comfort for the young leaders. Superior fuel efficiency coupled with lower maintenance costs leads to high profitability. BSVI Starline range is driven by state-of-the-art E366 and E474 engines which provide powerful performance in all applications. The modern driveline is complemented by contemporary design with uni-tone front Pegasus looks and refreshed interiors.



Comfort & Convenience.

Starline school buses offer wide and comfortable seats in different configuration with increased suspension span for superior ride-comfort. Bottle hangers and hatracks provide convenient storage for all school necessities. The complete school range is available with AC option making the Starline School range the best transport solution for students.



Spacious Seating



New Instrument Cluster

New-Gen Features.

Eicher Live lets you track your vehicle and glance at vital performance parameters at the touch of a button. Fuel coaching and Mbooster+ enable the driver to operate the bus in the most fuel efficient manner. The Intelligent Driver Information System keeps the driver informed of all the key parameters through an easy-to-read display and tell-tales.

Enhanced Suspension



AC Bus Range



Convenient Storage



Mbooster+



Fuel Coaching



Eicher Live



Complete Safety.

Low step height and aisle-side grab handles are provided for ease of boarding and movement in the bus. Window guard rails, anti-slip flooring, in-step well and passenger area, peep window and seat-back handles provide uncompromised safety. The buses are equipped with emergency exits, FDSS and comply with bus body code.




Window Guard Rails



Low Step Height and Anti-Slip Flooring



Aisle-Side Grab Handles



Fire Detection and Suppression system (FDSS)



Superior Powertrain

Reliable & Strong.

Eicher's all new E366 and E474 engines deliver high power and torque while remaining true to the promise of best-in-class fuel efficiency. The Starline range comes with the highly reliable Domex® Chassis in select models along with low maintenance 5 or 6-Speed transmissions.

Next-Gen Engine




Domex® Chassis



HDPE DEF Tank





We manufacture buses with high level of precision by using advanced technology like panel fitments, inverter based welding, shower testing, robotic painting and pneumatic grippers in our modern bus plant to deliver superior build quality.



Lifetime Support Solutions.



With our Lifetime Support Solutions, we ensure a seamless and hassle-free experience from the time you consider buying an Eicher vehicle to the time you think of selling it. Our continuously improving and holistic services will ensure higher uptime and productivity for your BSVI vehicles.

*Pro-Pilot, Eicher Sure and Eicher Container set-up is not available for Eicher Bus range



Eicher has taken a step towards achieving Superior Uptime with a responsive attitude, that will set us apart and create a differentiated experience for our customers. With our new Uptime Center and Uptime Certified Workshops, we are now geared up with a proactive support system for diagnostic assistance with advanced diagnostic tools.



At Uptime Certified Workshops only
*T&C Apply


Model Name	2050 C	2050 D	2070 E	2075 H	2090 L
Seating capacity	18+D 2X2 21+D 3X2	22+D 2X2 26+D 3X2	26+D 2X2 31+D 3X2	34+D 2X2 41+D 3X2	42+D 2X2 51+D 3X2
Wheelbase (mm)	2850	3100	3515	4320	5240
Overall length (mm)	5720	5970	6855	8112	9584
Overall width (mm)	2164				
Overall height (mm)	2765	2765 - NAC / 2975 - AC			2860 - NAC / 3070 - AC
Ground clearance (mm)	183		187		
Front overhang (mm)	1200				
Rear overhang (mm)	1670		2140	2592	3144
Turning circle diameter (m)	11.2	12.2	13.1	16	19.4
Engine make	E366		E474		
Displacement (cc)	1999		2960		
Power	100 hp (75kW) @ 3200 rpm		120 hp (90kW) @ 3200 rpm - NAC / 140 hp (105kW) @ 3200 rpm - AC		140 hp (105kW) @ 3200 rpm
Torque	285 Nm @ 1250 - 2500 rpm		350 Nm @ 1200 - 2500 rpm - NAC / 400 Nm @ 1200 - 2500 rpm - AC		400 Nm @ 1200 - 2500 rpm
Clutch (mm)	275		310		
Transmission make	ET30S5		ET35S5		ET35S6
Transmission type	Synchromesh 5-Speed + 1 Rev				Synchromesh 6-Speed + 1 Rev
GVW (Tonnes)	5.6		7.5	8.2	9.8
Chassis type	BSK 46 Ladder - Joggle type		Domex 650 Ladder - Joggle type		
Chassis dimension (mm)	180X60X5		200X65X5		
Fuel tank capacity (l)	60		100		160
Brakes	Hydraulic disc brakes with ABS		Dual circuit 'S' cam full air brakes with ABS		
Tyres	7.50x16 - 16 PR				8.25x16 - 16 PR
Suspension	Semi-elliptical leaf spring				
Steering	Power steering				
Battery	12 V, 130 Ah				
Alternator	110 A	110 A - NAC / 110 A X2 - AC			
Flooring	Button type vinyl				
HDPE DEF tank capacity (l)	20				
Air conditioning	-	Option available			

*AC : Air-conditioned, NAC : Non Air-conditioned


VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE
eichertrucksandbuses.com, Eicher Care: 1800 102 3531

VE COMMERCIAL VEHICLES LTD.
Registered Address – 3rd Floor Select Citywalk,
A -3 District Centre, Saket, New Delhi 110 107, India.
CIN – U74900DL2008PLC175032


CORPORATE ADDRESS
Eicher Trucks & Buses
#96, Sector – 32, Gurgaon
122001, Haryana, India.




Model : 2050 C
Wheelbase : 2850
Seating : 18+D 2X2
21+D 3X2




Model : 2050 D
Wheelbase : 3100
Seating : 22+D 2X2
26+D 3X2



Model : 2070 E
Wheelbase : 3515
Seating : 26+D 2X2
31+D 3X2



Model : 2075 H
Wheelbase : 4320
Seating : 34+D 2X2
41+D 3X2



Model : 2090 L
Wheelbase : 5240
HHR Seating : 42+D 2X2
51+D 3X2



Caution: *Do not weld or drill on chassis frame. *Accessories and features shown in pictures or elsewhere may not constitute standard fitment. *Weight mentioned is for standard configuration with standard body sizes and will change due to optional fitments. *As a result of continuous research and innovation carried out, specifications are merely indicative and are subject to change without notice.